

TOPWISE MP35P

New Generation

Portable POS Terminal

High performance hardware with Dual CPU, Quad-Core A7 1.3G.




Compact footprint with comfortable grip

At 153mm in length, the MP35P is light and portable, for easy maneuverability of buttons and screens in one hand.








Android system, easy to develop and maintain, SDK compatible with Topwise MP35 and T1.



The high-capacity battery supports 700 transactions on a single charge, prolonging battery life. Supports more than 500 charge and discharge cycles, ensuring excellent performance throughout the five-year life span.



The MP35P Supports omni-channel payments







Selection of accessories



Secure Electronic Payment Terminal

















RoHS

Standard Configurations

OS

AOS (Android 5.1)

Display

2.4"TFT 320*240 Display Touch Panel(optional)

Smart Card Reader

Compliance with EMV ,PBOC, ISO7816

Wireless

Wi-Fi 2.4GHz
Bluetooth 4.0+EDR

Power

Battery: 3.7V/2600mAh

Adapter: 5V/1A

Positioning

A-GPS

Accessory

Charging Base (optional)

Processor

32-bit Quad Core Cortex A7 1.3GHz 32-bit RISC Core (ARMv7-M) 72GHz

Printer

Print Speed: 60mm/s
Paper roll: 58*40mm

Magnetic Card Reader

Triple Track, Dual-Directional
Compliance with ISO7810,7811,7812

Physical Key

Numeric x 10 Function x 8 On/Off x 1

Card Slots

SIM x 2 SIM x 1 + PSAM x 1 (optional)

Audio

Speaker x 1

Memory

256MB RAM+512MB ROM
512MB RAM+4GB eMMC(optional)

Camera

2 MP Front-Facing
1D&2D QR Code Supported

Contactless Card Reader

Type A/B,Mifare Compliance with

Mobile Network

3G(WCDMA) 2G(GPRS)

Physical

153*80*61mm310g (including battery)

Ports

USB Type C x 1

